

10/523461

DT01 Rec'd PCT/PT 02 FEB 2005

In the Claims:

- 1.(original) A water-soluble container comprising a first compartment containing a first composition, a second compartment containing a second composition and a rigid spacer located in the first compartment and/or the second compartment, such that a wall or wall section of the first and/or second compartment is prevented from contacting a wall or wall section of the other compartment.
- 2.(currently amended) A container according to ~~as claimed in~~ claim 1, wherein more than 30% of the surface area of the second compartment is enclosed by the first compartment.
- 3.(currently amended) A container according to ~~as claimed in~~ claim 2, wherein more than 50% of the surface area of the second compartment is enclosed by the first compartment.
- 4.(currently amended) A container according to claim 1 ~~as claimed in any preceding claim~~, wherein the first compartment is sealed with a sealing member, and wherein the sealing member comprises the second compartment containing the second composition.
5. (currently amended) A container according to claim 1 ~~as claimed in any preceding claim~~ wherein the second composition is moisture-sensitive.
6. (currently amended) A container according to claim 1 ~~as claimed in any preceding claim~~ wherein the first compartment and/or the second compartment is formed of poly(vinyl alcohol).

7. (currently amended) A container according to claim 1 ~~as claimed in any preceding claim~~ wherein the first compartment and/or the second compartment comprises means for retaining the spacer in position.
8. (currently amended) A container according to ~~as claimed in~~ claim 7, wherein a wall section of the first compartment and/or the second compartment comprises a recess for the spacer.
9. (currently amended) A container according to claim 1 ~~as claimed in any preceding claim~~ wherein the first compartment has been formed by thermoforming or injection moulding.
10. (currently amended) A container according to claim 1 ~~as claimed in any preceding claim~~ wherein the first composition is a liquid.
11. (currently amended) A container according to claim 1 ~~as claimed in any preceding claim~~ wherein the second composition is a solid or a liquid.
12. (currently amended) A container according to ~~as claimed in~~ claim 11, wherein the second composition is a compressed solid or a particulate solid.
13. (currently amended) A container according to claim 1 ~~as claimed in any preceding claim~~ wherein the spacer is substantially spherical.
14. (currently amended) A container according to claim 1 ~~as claimed in any preceding claim~~ wherein the spacer comprises a composition that is enclosed in a housing formed of a water-soluble polymer.
15. (currently amended) A container according to ~~as claimed in~~ claim 14, wherein the water-soluble polymer is applied by spray coating.

16. (currently amended) A container according to claim 1 ~~as claimed in any preceding claim~~ which comprises more than one spacer.
17. (currently amended) A container according to claim 1 ~~as claimed in any preceding claim~~ which is suitable for use in laundry or ware washing.
18. (currently amended) A container according to claim 1 ~~as claimed in any preceding claim~~ wherein the spacer is positioned in the first compartment.
19. (currently amended) A process for producing a container according to claim 1 ~~as claimed in any one of claims 1 to 18~~, said process comprising:
- i) forming an open container, positioning the spacer in the open container, at least partially filling the container with the first composition and with the second compartment containing the second composition, and sealing the container; or
 - ii) forming an open container, positioning the spacer in the open container, at least partially filling the container with the first composition, and sealing the container with a sealing member comprising the second compartment containing the second composition.